	Application No.	Applicant(s) WALKE ET AL.	
Notice of Allowability	09/893,321		
	Examiner	Art Unit	
	Robert Landsman	1647	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in b) or other appropriate commu RIGHTS. This application is so	this application. If not included nication will be mailed in due course.	THIS initiative
1. This communication is responsive to the Board Decision in	mailed 8/31/05.		
2. X The allowed claim(s) is/are <u>1-6</u> .		·	
 Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	re been received. re been received in Application	ı No	n the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subr	MENT of this application. `-		
INFORMAL PATENT APPLICATION (PTO-152) which give			J 1
5. \square CORRECTED DRAWINGS (as "replacement sheets") mu	ıst be submitted.		
(a) I including changes required by the Notice of Draftsper	rson's Patent Drawing Review	(PTO-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date	_·		
(b) including changes required by the attached Examiner Paper No./Mail Date		•	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			f
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT 			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Inf	ormal Patent Application (PTO-152)	•
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		mmary (PTO-413), ⁄lail Date	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date	7. ⊠ Examiner's <i>i</i>	Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's 9. Other	Statement of Reasons for Allowance	
		Robert Landsman Primary Examiner Art Unit: 1647	

Application/Control Number: 09/893,321

Art Unit: 1647

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lance Ishimoto on January 10, 2006.

In the claims:

In claim 6, before the word "cell" replace the word "A" with "An isolated"

Advisory information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert Landsman whose telephone number is (571) 272-0888. The examiner can normally be reached on T-F 10 AM - 7 PM (eastern).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brenda Brumback can be reached on 571-272-0961. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert Landsman Primary Examiner Art Unit 1647